

**From:** [Mescher, Jean](#)  
**To:** [Shawn Ghose/R6/USEPA/US@EPA](#)  
**Subject:** RE: Attached modified draft  
**Date:** 02/11/2011 01:33 PM  
**Attachments:** [Draft Third Five-Year Report modified - 2-10-11- redline-2.docx](#)  
[Draft Third Five-Year Report modified - 2-10-11- clean.docx](#)  
[Attachment 1- Arkansas Water Quality Standards Calculation.pdf](#)  
[Attachment 3 - Regional screening level summary table.pdf](#)

---

Shawn,

Please see revised draft report: redline and clean versions. The semi-log plot is included as Figure 2b. I can't insert Attachment 1 and 3 into the documents because Attachment 1 is a signed document and I was unable to reformat Attachment 3 due to its size and embedded formatting.

I will make my flight reservations as soon as you are set.

Jean

---

**From:** Ghose.Shawn@epamail.epa.gov [mailto:Ghose.Shawn@epamail.epa.gov]  
**Sent:** Thursday, February 10, 2011 11:53 AM  
**To:** Mescher, Jean  
**Subject:** RE: Attached modified draft

Jean: It was great that you sent me the correct version. But we need the Attachments in .pdf in Word so it becomes part of the document. It is too cumbersome otherwise. Also in Actions needed I thought we can state "the property owners recorded a deed notice in August 2010. This notice needs minor meets and bound correction, plus giving notice that the future use is only industrial..... ". You can also add the PCP Vs Time semilog in the main body or as attachment in Word. I will start getting a ticket for Feb 16 and let you know as soon as I got the approval.

Shawn Ghose

RE: Attached modified draft

Mescher, Jean

to: Shawn Ghose

02/09/2011 02:12 PM

---

Shawn,

Please see attached revised draft Five-Year reviews. The first version is a redline version. I modified your draft to include a formatted "concurrences" page and inspection date of Feb 16 and then inadvertently saved the changes as clean so these changes are not visible as redlined. You can see redlines for the deed restriction issue (since it is doubtful that this will be handled prior to completion of the Five-Year review), EPA guidance reference and minor formatting. Also attached is a "clean" version of the report.

For the Attachments, please see the following:

Attachment 1: attached to this email since it is in PDF format and can't be inserted into a Word document.

Attachment 2: in review document

Attachment 3: attached to this email since it is in PDF format and can't be inserted into a Word document.

Attachment 4: attached to this email since it is in PDF format and can't be inserted into a Word document.

Also attached is the PCP v. time semi-log plot.

The weather looks good for next Wednesday, Feb 16: 66 and partly sunny. Please let me know when you reserve your flights.

Jean

**From:** Ghose.Shawn@epamail.epa.gov [mailto:Ghose.Shawn@epamail.epa.gov]

**Sent:** Tuesday, February 08, 2011 3:33 PM

**To:** Mescher, Jean

**Subject:** Attached modified draft

Jean in this version Attachment 1,2 and 3 are blank i.e. title but no data. Also I could not find the semi-log plot of PCP (X-axis) Vs Time. Also we need to add in the Reference that the latest FYR Guidance was followed " Comprehensive Five year Review Guidance" EPA 540-R-01-007, June 2001. Please add or modify as needed and call the new version as Rev .... date. Need to add the relevant parts of the Regional screening criteria only for those items relevant @ Arkwood. The last FYR was signed 3/31/06 so we can make the correct version by that date.  
Shawn